



ATR ALBUZ®

Hollow cone nozzle

ALBUZ®
specific body
dimensions 11 mm




PRESSURE RANGE




from 10
to 15 bar

SPRAY ANGLE



DROPLET SPECTRUM

10
bar



15
bar

APPLICATIONS

- ▶ For fungicide and insecticide treatments.
- ▶ Recommended for arboriculture and vineyards.

MAIN CHARACTERISTICS

- ▶ Angle of 80° at 5 bar.
- ▶ Hollow cone nozzle producing fine droplets.
- ▶ ALBUZ durable pink ceramic allows high pressure spraying while maintaining nozzle performance and precision.

SPECIFIC CHARACTERISTICS

- ▶ Easy dismantling for a good cleaning.
- ▶ BBA certified.
- ▶ Can be used on a sprayer boom from 3 bar pressure.
- ▶ Precision polished ceramic surfaces of internal components ensure perfect sealing of the swirl chamber to give precise flowrate.
- ▶ **Recommended pressure: 10 bar.**

Flow rate chart

Bar	l/mn									
	WHITE	LILAC	BROWN	YELLOW	ORANGE	RED	GREY	GREEN	BLACK	BLUE
5	0.27	0.36	0.48	0.73	0.99	1.38	1.50	1.78	2.00	2.45
6	0.29	0.39	0.52	0.80	1.08	1.51	1.63	1.94	2.18	2.67
7	0.32	0.42	0.56	0.86	1.17	1.62	1.76	2.09	2.35	2.87
8	0.34	0.45	0.60	0.92	1.24	1.73	1.87	2.22	2.50	3.06
9	0.36	0.48	0.64	0.97	1.32	1.83	1.98	2.35	2.64	3.24
10	0.38	0.50	0.67	1.03	1.39	1.92	2.08	2.47	2.78	3.40
11	0.39	0.52	0.70	1.07	1.45	2.01	2.17	2.58	2.90	3.56
12	0.41	0.55	0.73	1.12	1.51	2.09	2.26	2.69	3.03	3.71
13	0.43	0.57	0.76	1.17	1.57	2.17	2.35	2.79	3.14	3.85
14	0.44	0.59	0.79	1.21	1.63	2.25	2.43	2.89	3.26	3.99
15	0.46	0.61	0.81	1.25	1.69	2.33	2.51	2.99	3.36	4.12
16	0.47	0.63	0.84	1.29	1.74	2.40	2.59	3.08	3.47	4.25
17	0.48	0.64	0.86	1.33	1.79	2.47	2.67	3.17	3.57	4.37
18	0.50	0.66	0.89	1.37	1.84	2.54	2.74	3.25	3.67	4.49
19	0.51	0.68	0.91	1.40	1.89	2.60	2.81	3.34	3.76	4.61
20	0.52	0.70	0.93	1.44	1.94	2.67	2.88	3.42	3.85	4.72
21	0.54	0.71	0.95	1.48	1.99	2.73	2.95	3.50	3.94	4.84
22	0.55	0.73	0.98	1.51	2.03	2.79	3.01	3.57	4.03	4.94
23	0.56	0.74	1.00	1.54	2.07	2.85	3.07	3.65	4.12	5.05
24	0.57	0.76	1.02	1.58	2.12	2.91	3.14	3.72	4.20	5.15
25	0.58	0.77	1.04	1.61	2.16	2.97	3.20	3.80	4.28	5.25